

Biomedical Waste Sorting & Classification Using Deep Learning

M. A. Ahmed Akmal

(Reg. No.: MS19806778)
M.Sc in IT
Specialized in Information Technology

Supervisor: Dr. Jeewanee Bamunusinghe

May 2021

Thesis submitted in partial fulfillment of the requirements for the Degree of

Master of Science

Department Of Information Technology Faculty Of Graduate Studies And Research Sri Lanka Institute of Information Technology

Declaration

I hereby declare that this dissertation to the best of my knowledge, is solely composed by myself and it neither contains any direct or indirect materials from previously published articles nor written by another person. Further, this thesis has not been submitted for any award or degree of any other university or institute of higher education except as specified.

Certified by

Signature:

Date: 28th August 2021

The above candidate has carried out research for the M.Sc. thesis under my supervision.

Name of Supervisor: Dr. Jeewanee Bamunusinghe

Signature: Jeewone

Date: 05/09/2021

Abstract

Biomedical wastes (BMWs) include potentially infectious, sharps, pharmaceuticals and radioactive wastes probably generated by hospitals, vaccination centers, biomedical laboratories, etc. Handling and disposal of biomedical wastes potentially have multiple risk factors. Currently, hospitals and laboratories use color-coded bins to classify and categorize different types of wastes to ease the handling and the disposal process. Sometimes due to human errors these wastes could be miscategorized or misplaced in different bins. In recycling terms this is known as waste contamination. Contaminating the biomedical waste streams causes a huge potential threat to the people who handle them.

Computer vision based biomedical waste classification is one of the best ways to prevent these issues. But applying pure computer vision algorithms is much more suitable for small tasks such as pattern recognition, edge detection etc. In order to classify different kinds of biomedical wastes, then convolutional neural networks (CNN) would be a much more suitable choice. This research proposes a deep learning model which accurately classifies several selected biomedical wastes such as syringes, blades and sample collection tubes with a prediction accuracy around 96% on the test dataset. Further the implemented model approximately localizes the biomedical wastes to serve robotics and smart-bin applications.

Acknowledgment

I would like to extend my gratitude to the following people, without whom I'd not have been able to accomplish this research, Especially to my supervisor Dr. Jeewanee Bamunusinghe for the encouragement and inspiration which steered me through this research. I'd also like to express my sincere appreciation to our Master's coordinator Mr. Samantha Rajapaksha for guiding us through this research. Finally, I'd like to convey my sincere thanks to my friends and family members for their staunch support for my studies to go the extra mile.

Table of Contents

| Abstract | 2 |
|--|----|
| Acknowledgment | 3 |
| Table of Contents | 4 |
| List of Figures | 6 |
| List of Charts | 8 |
| List of Tables | 9 |
| Abbreviations | 10 |
| Chapter 1: Introduction | 12 |
| 1.1: Why is biomedical waste classification important? | 12 |
| 1.2: Research Problem | 13 |
| 1.3: Aims and Objectives | 19 |
| 1.4: Contribution | 20 |
| 1.5: Dissertation Structure | 21 |
| Chapter 2: Literature Review | 22 |
| 2.1: Introduction | 22 |
| 2.2: Moving from legacy systems to AI & DL | 23 |
| 2.3: Convolutional Neural Networks | 24 |
| 2.4: Waste Classification using CNNs | 26 |
| 2.5: Localization in CNN | 27 |
| Chapter 3: Methodology | 29 |
| 3.1: Introduction | 29 |
| 3.2: Legacy Methods | 29 |
| 3.3: Neurons vs Artificial Neurons | 33 |
| 3.4: Requirements Gathering & Analysis | 35 |
| 3.5: System Design & Implementation | 37 |
| 3.5.1: Data Collection | 37 |
| 3.5.2: Preprocessing | 38 |
| 3.5.3: Model Building & Training | 39 |
| Feature Extraction | 41 |
| Classification | 43 |

| 3.5.4: Transfer Learning | 47 |
|---|----|
| 3.5.5: Object Localization | 47 |
| Chapter 4: Results | 52 |
| 4.1: Introduction | 52 |
| 4.2: Accuracy & Results | 52 |
| 4.3: Classifying Biomedical Wastes | 54 |
| Chapter 5: Evaluation | 64 |
| 5.1: Introduction | 64 |
| 5.2: Evaluation of deep learning function | 64 |
| Chapter 6: Conclusions | 67 |
| 6.1: Conclusion | 67 |
| 6.2: Advantages of the implemented model | 67 |
| 6.3: Disadvantages of the implemented model | 67 |
| 6.4: Future Works & Roadmap | 68 |
| References | 71 |
| Appendices | 79 |
| Appendix A: Google Image Scraping Tool | 79 |
| Appendix B: Biomedical Waste Classification Algorithm | 81 |

List of Figures

| Figure 1 | A contaminated waste dumping yard, which contains used syringes along with bottles, plastics and other waste types | 12 |
|-----------|--|----|
| Figure 2 | A health advisory board to refrain from eating contaminated fish. | 14 |
| Figure 3 | Biomedical waste color code categorization in Sri Lanka | 17 |
| Figure 4 | An example of old procedural image classification pipeline | 29 |
| Figure 5 | A sample legacy classification pipeline to detect vertical lines in an image | 29 |
| Figure 6 | An algorithm to extract unique properties of a surgical blade | 30 |
| Figure 7 | Multi-level image classification pipeline | 31 |
| Figure 8 | Human biological neuron and an artificial neuron | 32 |
| Figure 9 | Vector representation of inputs \boldsymbol{X} | 32 |
| Figure 10 | Vector representation of associated weights vector \boldsymbol{W} | 33 |
| Figure 11 | Transpose vector of weight W^T | 33 |
| Figure 12 | Dot product of X and W^T | 33 |
| Figure 13 | Sigmoid activation function $F(S)$ | 34 |
| Figure 14 | CPU vs GPU core architecture | 35 |
| Figure 15 | Biomedical Waste Classification System Overview | 36 |
| Figure 16 | Applying augmentation to a selected image will enlarge the image with different variants of existing image | 37 |

| Figure 17 | A sample image stored in a disk | 39 |
|-----------|--|----|
| Figure 18 | An image and the tensor representation of the image | 40 |
| Figure 19 | First 18 filters of the implemented model | 41 |
| Figure 20 | Generated feature maps of "block1_conv1" convolutional layer | 41 |
| Figure 21 | Classification part of the CNN algorithm | 42 |
| Figure 22 | Generated Grad-CAM of an image | 46 |
| Figure 23 | Applying Otsu's method for the generated Grad-CAM | 47 |
| Figure 24 | Localizing the object within the image | 47 |
| Figure 25 | Generated binary map and the original image | 48 |
| Figure 26 | Determined area of the detected object within the image | 48 |
| Figure 27 | X-axis difference of the bounded area | 49 |
| Figure 28 | Y-axis difference of the bounded area | 50 |
| Figure 29 | Determined approximate area of the object | 50 |
| Figure 30 | Results produced from test-cases 2 and 3 | 63 |
| Figure 31 | NVIDIA Jetson Nano development board by NVIDIA | 67 |
| Figure 32 | Google Coral TPU development board | 68 |
| Figure 33 | Raspberry Pi - 4 development board | 69 |

List of Charts

| Chart 1 | Healthcare waste type distribution | 14 |
|---------|--|----|
| Chart 2 | Accuracy, Validation Accuracy, Loss and Validation Loss of the trained CNN model | 53 |
| Chart 3 | Confusion matrix generated from the validations | 54 |

List of Tables

| Table 1 | VGG16 model built | 45 |
|-----------|---|----|
| Table 2 | Objects and associated labels given to the objects | 52 |
| Table 3.1 | Test Case 1 | 56 |
| Table 3.2 | Test Case 2 | 58 |
| Table 3.3 | Test Case 3 | 59 |
| Table 3.4 | Test Case 4 | 61 |
| Table 3.5 | Test Case 5 | 62 |
| Table 4 | Functionalities and accuracy of the implemented model | 66 |

Abbreviations

WHO World Health Organization

UNICEF United Nations Children's Fund

HBV Hepatitis B Virus

HCV Hepatitis C Virus

HIV Human Immunodeficiency Virus

POP Persistent Organic Pollutants

MRI Magnetic Resonance Imaging

DL Deep Learning

AI Artificial Intelligence

NLP Natural Language Processing

DNN Deep Neural Network

CNN Convolutional Neural Network

OSS Open Source Software

IEEE Institute of Electrical and Electronic Engineers

ML Machine Learning

CV Computer Vision

ANN Artificial Neural Network

RNN Recurrent Neural Network

FFNN Feed Forward Neural Network

CPU Central Processing Unit

GPU Graphics Processing Unit

TPU Tensor Processing Unit

FCNN Fully Connected Neural Network

VGG Visual Geometry Group

ReLU Rectified Linear Unit

ROI Region Of Interest

BN Batch Normalization

PCA Principal Component Analysis

L1-PCA L1-Norm Principal Component Analysis

CED Canny Edge Detection

PHT Probabilistic Hough Transformation

HLT Hough Line Transformation

RAM Random Access Memory

CUDA Compute Unified Device Architecture

Grad-CAM Gradient - Class Activation Map

URL Uniform Resource Locator

CC Cubic Centimeter

RPI Raspberry Pi

IOT Internet Of Things

M. Sc in Information Technology

11